

TEMPORARY

NO. 62493

T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 01 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 07 1996 under 61928

The applicant Gardnerville Town Water Company, Inc., hereby makes application for permission to change the Point of diversion, manner and place of use of a portion of water heretofore appropriated under Permit 60576

1. The source of water is underground
2. The amount of water to be changed 0.22 cfs (not to exceed 100 ac. ft. annually)
3. The water to be used for Construction & Dust Abatement purposes
4. The water heretofore permitted for Municipal Purposes
5. The water is to be diverted at the following point NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 16, T.12N., R.19E., M.D.B.&M., or at a point from which the E $\frac{1}{2}$ Corner of said Section 16 bears N 0°18'00" E., a distance of 1,234.15 feet
6. The existing permitted point of diversion is located within NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 4, T.12N., R.20E., M.D.B.&M., at a point from which the NE Corner of said Section 4 bears N. 86°15' E., a distance of 3,946.00 feet
7. Proposed place of use See Attachment "A"
8. Existing place of use See Attachment "A"
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works a drilled & cased well equipped with a motor pump, storage tank and standpipe for filling watering trucks.
12. Estimated cost of works \$50,000.00
13. Estimated time required to construct works 1 year
14. Estimated time required to complete the application of water to beneficial use 1 year
15. Remarks: This application is being filed to secure a source of construction & dust abatement water in accordance with the directions from the State Engineer's site visit to the Job's Peak Development construction site. Use map on file under Permit 60576 for existing point of diversion & place of use & map under Appl. 61928 for proposed point of diversion & place of use.

By s/ Gregory M. Bilyeu
Gregory M. Bilyeu - Agent
3579 Highway 50 East, #309
Carson City, NV 89701

Compared cl/jk cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 60576 is issued subject to the terms and conditions imposed in said Permit 60576 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on January 12, 1998 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

The issuance of this temporary permit does not determine any action on Applications 61928 and 61929.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.22 cubic feet per second, but not to exceed 100.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Application of water to beneficial use shall be filed on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:


TEMPORARY

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,


State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 13th day of January, A.D. 1997


State Engineer

WITHDRAWN BY APPLICANT APR 04 1997


STATE ENGINEER